WHAT IS CLAIMED IS:

2	1. A method for making a multi-color bottle blank, comprising:
3	a first step including injecting a first melted material into a first
4	mold cavity to form a first bottle blank portion;
5	a second step including transferring the first bottle blank portion
6	that is not fully cooled in the first mold cavity into a second mold cavity;
7	and
8	a third step including injecting a second melted material into the
9	second mold cavity, so that the second melted material is integrally
10	combined with the first bottle blank portion that is not fully cooled to form
11	a second bottle blank portion, wherein:
12	the first bottle blank portion and the second bottle blank portion
13	having different colors are combined with each other fully and exactly to
14	form a multi-color bottle blank.
15	2. The method in accordance with claim 1, wherein the optimum
16	temperature for forming the first bottle blank portion is optimally from
17	200°C to 270°C.
18	3. The method in accordance with claim 1, wherein the optimum
19	temperature of the first bottle blank portion is optimally from 60°C to 70°C
20	during the transferring process of the second step.

- 4. The method in accordance with claim 1, wherein the optimum
- 2 temperature for forming the second bottle blank portion is optimally from
- 3 200°C to 270°C.
- 5. The method in accordance with claim 1, wherein the first mold
- 5 cavity and the second mold cavity are located in the same die.
- 6. The method in accordance with claim 1, wherein the first mold
- 7 cavity and the second mold cavity are located in two different dies.
- 8 7. A method for making a multi-color container, comprising:
- a first step including preparing a multi-color bottle blank;
- a second step including baking the multi-color bottle blank at a
- preset temperature to soften the multi-color bottle blank;
- a third step including placing the softened multi-color bottle
- 13 blank into a die;
- a fourth step including placing an elongated blowing expansion
- device into the softened multi-color bottle blank, with a bottom of the
- 16 blowing expansion device being located adjacent to a bottom of the
- multi-color bottle blank; and
- a fifth step including blowing air outward from the blowing
- 19 expansion device and filling the air into the multi-color bottle blank, so that
- 20 the multi-color bottle blank is expanded with the blowing expansion device
- 21 simultaneously, wherein:

1	the blowing	expansion	device	is	extended	into	the	multi-color
		h		10	0,11011404	*****	4110	

- 2 bottle blank, so that when the air is blown outward from the blowing
- 3 expansion device, an expansion force is applied on an inner face of the
- 4 multi-color bottle blank evenly, so as to expand the multi-color bottle blank
- 5 outward stably and completely, thereby forming a multi-color container.
- 8. The method in accordance with claim 7, wherein the distance
- 7 between the bottom of the blowing expansion device and the bottom of the
- 8 multi-color bottle blank is about one fifth to one fourth of the height of the
- 9 multi-color bottle blank.
- 9. The method in accordance with claim 7, wherein the preset
- baking temperature in the second step is determined according to an
- 12 average value of the softened temperature values of multiple color
- 13 materials.
- 14 10. The method in accordance with claim 7, wherein the preset
- baking temperature in the second step is optimally from 150°C to 170°C.
- 16 11. The method in accordance with claim 7, wherein the blowing
- expansion device has a surface formed with a plurality of air vents.
- 18 12. A multi-color bottle blank, comprising:
- a first bottle blank portion; and
- a second bottle blank portion mounted on a surface of the first
- 21 bottle blank portion and having a color different from that of the first bottle
- 22 blank portion, wherein:

i the second	bottle	blank	portion	is mounted	on t	the surface	of the
--------------	--------	-------	---------	------------	------	-------------	--------

- 2 first bottle blank portion before the first bottle blank portion is fully cooled,
- 3 so that the first bottle blank portion and the second bottle blank portion
- 4 having different colors are integrally combined with each other.
- 5 13. The multi-color bottle blank in accordance with claim 12,
- 6 wherein the first bottle blank portion is transparent.
- 7 14. The multi-color bottle blank in accordance with claim 12,
- 8 wherein the first bottle blank portion has a surface formed with a space, and
- 9 the second bottle blank portion is filled with the space of the first bottle
- 10 blank portion and flush with the surface of the first bottle blank portion.
- 15. The multi-color bottle blank in accordance with claim 12,
- wherein the space has a periphery formed with a plurality of protruding
- 13 portions which are arranged in the space.
- 16. The multi-color bottle blank in accordance with claim 12,
- wherein the space is extended through a peripheral length of the surface of
- the first bottle blank portion.

17